



HP DuPont™ Tyvek® Banner is a cost-effective, environmentally-responsible alternative to regular scrim banners; this recyclable, lightweight HDPE DuPont™ Tyvek® Banner is easy to grommet, hang or stitch for easy installation¹.

Ideal for mid-volume print service providers (PSPs) looking for a well-priced, lightweight and versatile Tyvek® media

Brilliant indoor and outdoor banners made with DuPont™ Tyvek® Banner deliver high image quality with high-colour brilliance and waterfast, stay-true colours. Surface treated and doesn't require lamination for outdoor use.

This DuPont™ Tyvek® banner is more versatile than ordinary scrim banners and is recyclable. It fits a range of indoor and outdoor applications. Its strong but lightweight composition is tear-resistant.

A highly durable, recyclable media that fits a wide range of indoor and outdoor applications. This DuPont™ Tyvek® banner resists tears and scratches for reliable indoor and outdoor displays.

¹Free recycling of this material available in the US. Please go to www.hp.com/go/recycleLFmedia for details

HP DuPont™ Tyvek® Banner

Compatibility

For compatibility information, please refer to the latest Large Format Supplies Compatibility chart on www.hp.com/go/designjet/supplies

For the latest ICC/media profiles, please visit www.hp.com/go/designjet/supplies (click on ICC profiles and select your printer). For non-post script printers see your external RIP vendor.

Product specifications

Weight	135 g/m ² per ISO 536 Test Method															
Thickness	12 mil/290 microns per ISO 534 Test Method															
Opacity	Less than 95% per TAPPI T-425 Test Method															
Brightness	97% per TAPPI T-452 Test Method															
Whiteness	130 per CIE Ganz 82 Test Method															
Lamination	Yes (spray)															
Mounting	Grommets, Sewing, Glueing															
Finish	Semi-gloss															
Tear strength	MD ≥30 N / CD >30 N per ASTM D1004 Test Method															
Tensile strength	MD ≥270 N / CD >300 N per TAPPI T-494 Test Method															
Operating temperature	15 to 100° C															
Operating humidity	20 to 80% RH															
Lightfastness (Indoor Home or Office) Low-solvent Ink	50 years (with Latex Ink Supplies). For details: http://www.hp.com/go/supplies/printpermanence .															
Waterfastness	Water-resistant															
Dry time	Instant dry with heating (@ 23°C, 50% RH)															
Shelf time	2 years, unopened in original packaging															
Storage temperature	0 to 40° C															
Storage humidity	5 to 95% RH															
Country of origin	Product of United States															
Ordering information	<table><thead><tr><th>Product Numbers</th><th>Roll Sizes</th><th>UPC Codes</th></tr></thead><tbody><tr><td>CG444A</td><td>36 in. x 100 ft.</td><td>883585620104</td></tr><tr><td>CG445A</td><td>42 in. x 100 ft.</td><td>883585620111</td></tr><tr><td>CG446A</td><td>60 in. x 100 ft.</td><td>883585620128</td></tr><tr><td>CG447A</td><td>104 in. x 330 ft.</td><td>883585620135</td></tr></tbody></table>	Product Numbers	Roll Sizes	UPC Codes	CG444A	36 in. x 100 ft.	883585620104	CG445A	42 in. x 100 ft.	883585620111	CG446A	60 in. x 100 ft.	883585620128	CG447A	104 in. x 330 ft.	883585620135
Product Numbers	Roll Sizes	UPC Codes														
CG444A	36 in. x 100 ft.	883585620104														
CG445A	42 in. x 100 ft.	883585620111														
CG446A	60 in. x 100 ft.	883585620128														
CG447A	104 in. x 330 ft.	883585620135														
Warranty	HP large format printing material is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly. If for any reason the users are unsatisfied with HP large format printing material they should contact their HP reseller.															

© 2008 Hewlett-Packard Development Company, L.P.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For more information about HP Large Format Printing Material,
visit <http://www.hp.com/go/designjet/supplies>

4AA2-4775ENW

